

# Selection Guide

## Panel Mount Power Supply

New products are frequently introduced. Please visit [www.DeltaPSU.com](http://www.DeltaPSU.com) for latest product updates.

Issue Date: 2017/11/24

| Product Type             | Series  | Model Name     | Phase |   | PFC | Output Voltage | Output Current | Output Power |     |     |     |     |      |      |      |      |      | Input Voltage Range* | Safety Standards                      |  |                  |
|--------------------------|---|----------------|-------|---|-----|----------------|----------------|--------------|-----|-----|-----|-----|------|------|------|------|------|----------------------|---------------------------------------|--|------------------|
|                          |   |                | 1     | 3 |     |                |                | 15W          | 35W | 50W | 60W | 75W | 100W | 150W | 200W | 240W | 300W |                      |                                       | 320W                                   | 600W             |
| Panel Mount Power Supply | PMC<br>• Aluminium casing<br>• Universal AC input voltage | PMC-05V015W1AA | ●     |   |     | 5V             | 3.0A           | ●            |     |     |     |     |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-05V035W1A□ | ●     |   |     | 5V             | 7.0A           |              | ●   |     |     |     |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-05V050W1AA | ●     |   |     | 5V             | 10.0A          |              |     | ●   |     |     |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-12V035W1A□ | ●     |   |     | 12V            | 3.0A           |              | ●   |     |     |     |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-12V050W1A□ | ●     |   |     | 12V            | 4.17A          |              |     | ●   |     |     |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-12V060W1NA | ●     |   |     | 12V            | 5.0A           |              |     |     | ●   |     |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-12V100W1AA | ●     |   |     | 12V            | 8.33A          |              |     |     |     | ●   |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-12V150W1B□ | ●     |   |     | ●              | 12.5A          |              |     |     |     |     | ●    |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-24V035W1A□ | ●     |   |     |                | 24V            | 1.46A        |     | ●   |     |     |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-24V050W1A□ | ●     |   |     |                | 24V            | 2.1A         |     |     | ●   |     |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-24V075W1A□ | ●     |   |     |                | 24V            | 3.12A        |     |     |     | ●   |      |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-24V100W1A□ | ●     |   |     |                | 24V            | 4.17A        |     |     |     |     | ●    |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-24V150W1A□ | ●     |   |     |                | 24V            | 6.25A        |     |     |     |     |      | ●    |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-24V150W2AA | ●     |   |     |                | 24V            | 6.25A        |     |     |     |     |      |      | ●    |      |      |                      |                                       | 180-264Vac (DC input range 220-375Vdc) | CE, UL, EMI, ERI |
|                          |   | PMC-24V150W1B□ | ●     |   |     | ●              | 6.25A          |              |     |     |     |     |      |      |      | ●    |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-24V300W1BA | ●     |   |     | ●              | 12.5A          |              |     |     |     |     |      |      |      |      |      | ●                    |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-24V600W1BA | ●     |   |     | ●              | 25.0A          |              |     |     |     |     |      |      |      |      |      |                      | ●                                     | 85-264Vac (DC input range 120-370Vdc)  | CE, UL, EMI, ERI |
|                          |   | PMC-DSPV100W1A | ●     |   |     |                | 24V / 5V       | 2.7A / 7.0A  |     |     |     |     | ●    |      |      |      |      |                      |                                       | 85-264Vac (DC input range 125-375Vdc)  | CE, UL, EMI, ERI |
|                          | PMC-48V150W1BA  | ●              |       |   | ●   | 48V            | 3.125A         |              |     |     |     |     | ●    |      |      |      |      |                      | 85-264Vac (DC input range 125-375Vdc) | CE, UL, EMI, ERI                       |                  |
|                          | PMF<br>• Remote ON/OFF<br>• Built-in PFC                  | PMF-4V320WC□□  | ●     |   | ●   | 4.2V           | 55.0A          |              |     |     |     |     |      |      |      |      |      |                      | 231W                                  | 85-264Vac                              | CE, UL, EMI, ERI |
|                          |   | PMF-5V320WC□□  | ●     |   | ●   | 5V             | 55.0A          |              |     |     |     |     |      |      |      |      |      |                      | 275W                                  | 85-264Vac                              | CE, UL, EMI, ERI |
|                          |   | PMF-24V200WC□□ | ●     |   | ●   | 24V            | 8.4A           |              |     |     |     |     |      | ●    |      |      |      |                      |                                       | 85-264Vac                              | CE, UL, EMI, ERI |
|                          |   | PMF-24V240WC□□ | ●     |   | ●   | 24V            | 10.0A          |              |     |     |     |     |      |      |      | ●    |      |                      |                                       | 85-264Vac                              | CE, UL, EMI, ERI |
| PMF-24V320WC□□           |   | ●              |       | ● | 24V | 13.3A          |                |              |     |     |     |     |      |      |      |      |      | ●                    | 85-264Vac                             | CE, UL, EMI, ERI                       |                  |

\* DC input is certified for selected models

### PMC Panel Mount Power Supply Model Numbering

| PM          | C -                          | XXV            | XXXW         | □  | □   | □  |
|-------------|------------------------------|----------------|--------------|--|---|--|
| Panel Mount | Product Type<br>C - Enclosed | Output Voltage | Output Power | Phase Input<br>1 - Single Phase, Wide Range Input Voltage<br>2 - Single Phase, High Line Input Voltage | A - No PFC<br>B - With PFC<br>N - NEC Class 2 | Connector Type<br>A - Terminal Block <sup>3)</sup><br>J - IP20 Connector <sup>1)</sup><br>L - Front Face <sup>2)</sup> |

1) Options  
2) Options for 150W with PFC  
3) For PMC-05V015W1AA and PMC-24V600W1BA, the connector type is a Front Face connector

| PM          | C -                          | D           | SPV                                 | 100W         | 1                           | A              |
|-------------|------------------------------|-------------|-------------------------------------|--------------|-----------------------------|----------------|
| Panel Mount | Product Type<br>C - Enclosed | Dual Output | Output Voltage<br>S - 24V<br>P - 5V | Output Power | Phase Input<br>Single Phase | Delta Standard |

### PMF Panel Mount Power Supply Model Numbering

| PM          | F -                              | XXV            | XXXW         | C                            | □  | □  |
|-------------|----------------------------------|----------------|--------------|------------------------------|--|--|
| Panel Mount | Product Series<br>F - PFC Series | Output Voltage | Output Power | Package Type<br>C - Enclosed | Connector Type<br>G - Front Face<br>A - Terminal Block <sup>1)</sup> | Variable<br>B - No Remote ON/OFF<br>R - With Remote ON/OFF <sup>1)</sup> |

1) Options

# Selection Guide

## Panel Mount Power Supply

New products are frequently introduced. Please visit [www.DeltaPSU.com](http://www.DeltaPSU.com) for latest product updates.

Issue Date: 2017/11/24

| Product Type             | Series                                       | Model Name     | Phase |   | PFC | Output Voltage | Output Current | Output Power   |      |       |       |      |      | Input Voltage Range*                  | Safety Standards                             |                    |
|--------------------------|--|----------------|-------|---|-----|----------------|----------------|--|------|-------|-------|------|------|---------------------------------------|--|--------------------|
|                          |  |                | 1     | 3 |     |                |                | 50W  | 100W | 150W  | 155W  | 200W | 320W |                                       |  |                    |
| Panel Mount Power Supply | PMH<br>• Household and ITE safety approvals  | PMH-24V50WCA□  | ●     |   |     | 24V            | 2.1A           | ●  |      |       |       |      |      | 85-264Vac (DC input range 120-375Vdc) | CE, SBT, RoHS, EAC                           |                    |
|                          |  | PMH-24V100WCA□ | ●     |   |     | 24V            | 4.16A          |  | ●    |       |       |      |      | 85-264Vac (DC input range 120-375Vdc) | CE, SBT, RoHS, EAC                           |                    |
|                          |  | PMH-24V100WCC□ | ●     |   |     | 24V            | 4.16A          |  | ●    |       |       |      |      | 85-264Vac (DC input range 120-375Vdc) | CE, SBT, RoHS, EAC                           |                    |
|                          |  | PMH-24V100WCN□ | ●     |   |     | 24V            | 3.8A           |  | ●    | 91.2W |       |      |      | 85-264Vac (DC input range 120-375Vdc) | CE, SBT, RoHS, EAC                           |                    |
|                          |  | PMH-24V150WCB□ | ●     |   | ●   | 24V            | 6.25A          |  |      | ●     |       |      |      | 85-264Vac (DC input range 120-375Vdc) | CE, SBT, RoHS, EAC                           |                    |
|                          |  | PMH-24V150WCD□ | ●     |   | ●   | 24V            | 6.25A          |  |      | ●     |       |      |      | 85-264Vac (DC input range 120-375Vdc) | CE, SBT, RoHS, EAC                           |                    |
|                          |  | PMH-24V200WCB□ | ●     |   | ●   | 24V            | 8.33A          |  |      |       |       | ●    |      | 85-264Vac (DC input range 120-375Vdc) | CE, SBT, RoHS, EAC                           |                    |
|                          |  | PMH-12V100WCL□ | ●     |   |     |                | 12V            | 8.5A   |      | ●     |       |      |      |                                       | 85-264Vac (DC input range 120-375Vdc)        | CE, SBT, RoHS, EAC |
|                          |  | PMH-24V100WCL□ | ●     |   |     |                | 24V            | 4.5A   |      | ●     |       |      |      |                                       | 85-264Vac (DC input range 120-375Vdc)        | CE, SBT, RoHS, EAC |
|                          |  | PMH-24V100WCM□ | ●     |   |     |                | 24V            | 3.8A   |      | ●     | 91.2W |      |      |                                       | 85-264Vac (DC input range 120-375Vdc)        | CE, SBT, RoHS, EAC |
|                          | PMH-24V150WCL□                               | ●              |       |   |     | 24V            | 6.5A           |  |      | ●     |       |      |      | 85-264Vac (DC input range 120-375Vdc) | CE, SBT, RoHS, EAC                           |                    |
|                          | PMU<br>• Power supply with integrated DC-UPS | PMU-13V155W□BA | ●     |   |     |                | 13.8V          | V1: 9.5A<br>B+: 1.5A   |      |       |       |      | 151W |                                       | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, SBT, RoHS, CCC |
|                          |  | PMU-13V155W□CA | ●     |   |     |                | 13.8V          | V1: 9.5A<br>B+: 1.5A   |      |       |       |      | 151W |                                       | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, SBT, RoHS, CCC |
|                          |  | PMU-27V155W□BA | ●     |   |     |                | 27.6V          | V1: 4.0A (Enclosed)<br>B+: 1.5A (Enclosed)<br>V1: 4.3A (L Frame)<br>B+: 1.2A (L Frame) |      |       |       |      | 151W |                                       | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, SBT, RoHS, CCC |
|                          |  | PMU-27V155W□CA | ●     |   |     |                | 27.6V          | V1: 4.0A (Enclosed)<br>B+: 1.5A (Enclosed)<br>V1: 4.3A (L Frame)<br>B+: 1.2A (L Frame) |      |       |       |      | 151W |                                       | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, SBT, RoHS, CCC |
|                          | PMR<br>• Thickness < 1U<br>• Built-in PFC    | PMR-4V320WCA□  | ●     |   | ●   |                | 4.2V           | 60.0A  |      |       |       |      |      | 252W                                  | 88-264Vac                                    | CE, RoHS, EAC, CCC |
|                          |  | PMR-4V320WDAA  | ●     |   | ●   |                | 4.2V           | 60.0A  |      |       |       |      |      | 252W                                  | 88-264Vac                                    | CE, RoHS, EAC, CCC |
|                          |  | PMR-4V320WDGA  | ●     |   | ●   |                | 4.2V           | 60.0A  |      |       |       |      |      | 252W                                  | 88-264Vac                                    | CE, RoHS, EAC, CCC |
|                          |  | PMR-4V320WDBA  | ●     |   | ●   |                | 4.2V           | 60.0A  |      |       |       |      |      | 252W                                  | 88-264Vac                                    | CE, RoHS, EAC, CCC |
|                          |  | PMR-4V320WDCA  | ●     |   | ●   |                | 4.2V           | 60.0A  |      |       |       |      |      | 252W                                  | 88-264Vac                                    | CE, RoHS, EAC, CCC |
| PMR-5V320WCA□            |  | ●              |       | ● |     | 5V             | 60.0A          |  |      |       |       |      | 300W | 88-264Vac                             | CE, RoHS, EAC, CCC                           |                    |
| PMR-5V320WDAA            |  | ●              |       | ● |     | 5V             | 60.0A          |  |      |       |       |      | 300W | 88-264Vac                             | CE, RoHS, EAC, CCC                           |                    |
| PMR-5V320WDGA            |  | ●              |       | ● |     | 5V             | 60.0A          |  |      |       |       |      | 300W | 88-264Vac                             | CE, RoHS, EAC, CCC                           |                    |
| PMR-5V320WDBA            |  | ●              |       | ● |     | 5V             | 60.0A          |  |      |       |       |      | 300W | 88-264Vac                             | CE, RoHS, EAC, CCC                           |                    |
| PMR-5V320WDCA            |  | ●              |       | ● |     | 5V             | 60.0A          |  |      |       |       |      | 300W | 88-264Vac                             | CE, RoHS, EAC, CCC                           |                    |

\* DC input is certified for selected models

### PMH Panel Mount Power Supply Model Numbering

| PM          | H -                                    | XXV            | XXXW         | C                            | □  | □  |
|-------------|--|----------------|--------------|------------------------------|--|--|
| Panel Mount | Product Series<br>H - Household Series | Output Voltage | Output Power | Package Type<br>C - Enclosed | <b>Pollution Degree 2</b><br>A - No PFC<br>B - With PFC<br><br><b>Pollution Degree 3</b><br>C - No PFC<br>D - With PFC<br>L - Low Profile<br>M - Low Profile with NEC Class 2<br>N - NEC Class 2 | <b>Output Non-Isolated to PE (PELV)</b><br>A - Terminal Block<br>J - IP20 connector<br>L - Front Face<br>H - Harness<br><br><b>Output Isolated to PE (SELV)</b><br>S - Terminal Block<br>U - IP20 Connector<br>V - Front Face<br>T - Harness |

### PMR Panel Mount Power Supply Model Numbering

| PM          | R -  | XXV            | XXXW         | □   | □   | □   |
|-------------|--|----------------|--------------|---|---|---|
| Panel Mount | Product Series<br>R - Standard Rack Type Series (1U) | Output Voltage | Output Power | Package Type<br>C - Enclosed with Fan<br>D - Enclosed without Fan | <b>Connector Type</b><br>A - Terminal Block<br>B - Terminal Block (Parallel Operation) <sup>1)</sup><br>G - Front Face <sup>2)</sup><br>C - Front Face (Parallel Operation) <sup>1)</sup> | <b>Variable</b><br>A - With conformal coating |

1) Options for Enclosed without Fan (PMR-□V320WDBA and PMR-□V320WDCA)  
2) Options

### PMU Panel Mount Power Supply Model Numbering

| PM          | U -  | XXV            | XXXW         | □   | □  | A   |
|-------------|--|----------------|--------------|---|--|---|
| Panel Mount | Product Series<br>U - With DC UPS Function | Output Voltage | Output Power | Package Type<br>C - Enclosed<br>L - L Frame <sup>1)</sup> | <b>Signal</b><br>B - Without Signal<br>C - With Signal | <b>Connector Type</b><br>A - Terminal Block |

1) Options

# Selection Guide

## Panel Mount Power Supply

New products are frequently introduced. Please visit [www.DeltaPSU.com](http://www.DeltaPSU.com) for latest product updates.

Issue Date: 2017/11/24

| Product Type             | Series   | Model Name     | Phase |   | PFC | Output Voltage | Output Current | Output Power |     |      |      |      | Input Voltage Range | Safety Standards                             |  |                   |
|--------------------------|--|----------------|-------|---|-----|----------------|----------------|--------------|-----|------|------|------|---------------------|--|--|-------------------|
|                          |  |                | 1     | 3 |     |                |                | 35W          | 50W | 100W | 150W | 200W |                     |  | 350W   |                   |
| Panel Mount Power Supply | PMT<br>• UL approval<br>• Basic specs<br>• High MTBF | PMT-4V350W1A□  | ●     |   |     | 4.2V           | 60.0A          |              |     |      |      |      | 252W                | 90-132Vac, 180-264Vac (Selectable by Switch) | UL, CE, RoHS                                 |                   |
|                          |  | PMT-5V35W1A□   | ●     |   |     | 5V             | 7.0A           | ●            |     |      |      |      |                     | 85-264Vac                                    | CE, UL, RoHS, CCC                            |                   |
|                          |  | PMT-5V50W1A□   | ●     |   |     | 5V             | 10.0A          |              | ●   |      |      |      |                     |  | 85-264Vac                                    | CE, UL, RoHS, CCC |
|                          |  | PMT-5V350W1A□  | ●     |   |     | 5V             | 60.0A          |              |     |      |      |      |                     | 300W   | 90-132Vac, 180-264Vac (Selectable by Switch) | UL, CE, RoHS      |
|                          |  | PMT-12V35W1A□  | ●     |   |     |                | 12V            | 2.92A        | ●   |      |      |      |                     |  | 90-264Vac                                    | CE, UL, RoHS, CCC |
|                          |  | PMT-12V50W1A□  | ●     |   |     |                | 12V            | 4.2A         |     | ●    |      |      |                     |  | 90-264Vac                                    | CE, UL, RoHS, CCC |
|                          |  | PMT-12V100W1A□ | ●     |   |     |                | 12V            | 8.5A         |     |      | ●    |      |                     |  | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, UL, RoHS, CCC |
|                          |  | PMT-12V150W1A□ | ●     |   |     |                | 12V            | 12.5A        |     |      |      | ●    |                     |  | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, UL, RoHS, CCC |
|                          |  | PMT-12V350W1A□ | ●     |   |     |                | 12V            | 29.0A        |     |      |      |      |                     |  | 348W   | CE, UL, RoHS      |
|                          |  | PMT-15V50W1A□  | ●     |   |     |                | 15V            | 3.4A         |     | ●    |      |      |                     |  | 85-264Vac                                    | CE, UL, RoHS, CCC |
|                          |  | PMT-24V35W1A□  | ●     |   |     |                | 24V            | 1.46A        | ●   |      |      |      |                     |  | 90-264Vac                                    | CE, UL, RoHS, CCC |
|                          |  | PMT-24V50W1A□  | ●     |   |     |                | 24V            | 2.09A        |     | ●    |      |      |                     |  | 90-264Vac                                    | CE, UL, RoHS, CCC |
|                          |  | PMT-24V100W1A□ | ●     |   |     |                | 24V            | 4.5A         |     |      | ●    |      |                     |  | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, UL, RoHS, CCC |
|                          |  | PMT-24V150W1A□ | ●     |   |     |                | 24V            | 6.5A         |     |      |      | ●    |                     |  | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, UL, RoHS, CCC |
|                          |  | PMT-24V200W1A□ | ●     |   |     |                | 24V            | 8.8A         |     |      |      |      | ●                   |  | 90-132Vac, 180-264Vac (Selectable by Switch) | UL, CE, RoHS      |
|                          |  | PMT-24V350W1AG | ●     |   |     |                | 24V            | 14.6A        |     |      |      |      |                     | ●  |  | UL, CE, RoHS      |
|                          |  | PMT-24V350W1AM | ●     |   |     |                | 24V            | 14.6A        |     |      |      |      |                     | ●  |  | UL, CE, RoHS      |
|                          |  | PMT-24V350W1AK | ●     |   |     |                | 24V            | 14.6A        |     |      |      |      |                     | ●  |  | CE, UL, RoHS      |
|                          |  | PMT-24V350W1AR | ●     |   |     |                | 24V            | 14.6A        |     |      |      |      |                     | ●  |  | CE, UL, RoHS      |
|                          |  | PMT-36V350W1A□ | ●     |   |     |                | 36V            | 9.7A         |     |      |      |      |                     |  | 349.2W                                       | CE, UL, RoHS      |
|                          |  | PMT-48V150W1A□ | ●     |   |     |                | 48V            | 3.3A         |     |      |      | ●    |                     |  | 90-132Vac, 180-264Vac (Selectable by Switch) | CE, UL, RoHS, CCC |
|                          |  | PMT-48V350W1A□ | ●     |   |     |                | 48V            | 7.3A         |     |      |      |      |                     | ●  |  | CE, UL, RoHS      |
|                          |  | PMT-D1V100W1A□ | ●     |   |     |                | 12V / 5V       | 7.0A / 3.0A  |     |      | ●    |      |                     |  | 88-132Vac, 176-264Vac (Selectable by Switch) | CE, UL, RoHS, CCC |
|                          |  | PMT-D2V100W1A□ | ●     |   |     |                | 24V / 5V       | 3.5A / 3.0A  |     |      | ●    |      |                     |  | 88-132Vac, 176-264Vac (Selectable by Switch) | CE, UL, RoHS, CCC |

### PMT Panel Mount Power Supply Model Numbering

| PM          | □ -   | XXV            | XXXW         | 1                           | A      | □  | CC Code <sup>6)</sup>   |
|-------------|---|----------------|--------------|-----------------------------|--------|--|---|
| Panel Mount | Product Type<br>T - Enclosed<br>L - L Frame <sup>1)</sup><br>B - Open Frame <sup>2)</sup> | Output Voltage | Output Power | Phase Input<br>Single Phase | No PFC | Connector Type<br><u>With UL, TUV, CE, CCC</u><br>A - Terminal Block<br>G - Front Face <sup>3)5)</sup><br>H - Harness <sup>3)</sup><br><br><u>With UL, TUV, CE</u><br>R - Terminal Block<br>K - Front Face <sup>4)</sup><br><br><u>With UL</u><br>M - Terminal Block <sup>5)</sup><br>N - Front Face | Blank - Without connector cover<br>A - With connector cover<br>B - With conformal coating<br>C - With conformal coating and connector cover |

| PM          | □ -   | XXV  | XXXW         | 1                           | A      | □   | CC Code <sup>6)</sup>   |
|-------------|---|--|--------------|-----------------------------|--------|---|---|
| Panel Mount | Product Type<br>T - Enclosed<br>L - L Frame <sup>1)</sup> | Output Voltage<br><u>Dual Output</u><br>D1 - 12V / 5V<br>D2 - 24V / 5V | Output Power | Phase Input<br>Single Phase | No PFC | Connector Type<br>A - Terminal Block<br>G - Front Face <sup>1)</sup><br>H - Harness <sup>1)</sup> | Blank - Without connector cover<br>B - With conformal coating |

1) Options  
2) Options for Terminal Block with Enclosed type only

1) Options for 35W-200W  
2) Options for 35W and 50W (except for 5V/35W, 5V/50W and 15V/50W models)  
3) Options (Harness connector is not available for 5V/50W model)  
4) Options for PMT-24V350W1AK, PMT-36V350W1A□ and PMT-48V350W1A□  
5) PMT-24V350W1AG and PMT-24V350W1AM is certified to UL only

6) Options for Terminal Block with Enclosed type only  
A - For 4V/350W, 5V/350W, 24V/35W-100W models  
B - For 4V/350W, 5V/350W, 12V/35W-150W, 24V/35W-200W models  
C - For PMT-4V350W1AM and PMT-5V350W1AM