

证书编号: 2022010907458355

发证日期: 2023年11月15日 有效期至: 2027年03月31日

- 认证委托人名称
 台达电子工业股份有限公司

 及注册地址
 台湾桃园市龟山区山顶里兴邦路 31 之 1 号
- 产品生产者名称
 台达电子工业股份有限公司

 及注册地址
 台湾桃园市龟山区山顶里兴邦路 31 之 1 号
- **生产企业名称** 台达电子(东莞)有限公司西南分公司 **及生产地址** 中国广东省东莞市石碣镇蟠桃路 33 号
- **产品名称和系列、**电源适配器 规格、型号 见附件(产品销售时不带电线组件,仅适用于海拔 5000 米及以下)
- **产品标准和** GB 17625.1-2022(A 类);GB 4943.1-2022;GB/T 9254.1-2021 技术要求

上述产品符合 CNCA-CO9-01:2023 认证规则的要求,特发此证。 证书有效期内本证书的有效性依据发证机构的定期监督获得保持。 本证书为变更证书,证书首次颁发日期:2022年04月01日 经中国合格评定国家认可委员会认可 CNAS CO01-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



谢肇煦





签发:



证书编号: 2022010907458355 本证书及附件应同时使用,信息查验说明见证书页 第1页 共1页 纸号:

MDS-030AAC24XX(X代表数字 0-9 或英文字母 A-Z 或空白,其电气特性皆相同,只因客户不同,给于不同名称,不影响安全及电磁兼容性)输入: 100-240Vac, 0.8-0.6A, 50-60Hz 输出: 24Vdc, 1.25A;MDS-030AAC15XX(X代表数字 0-9 或英文字母 A-Z 或空白,其电气特性皆相同,只因客户不同,给于不同名称,不影响安全及电磁兼容性)输入: 100-240Vac, 0.8-0.6A, 50-60Hz 输出: 15Vdc, 2A;MDS-030AAC12XX(X代表数字 0-9 或英文字母 A-Z 或空白,其电气特性皆相同,只因客户不同,给于不同名称,不影响安全及电磁兼容性)输入: 100-240Vac, 0.6-0.4A, 50-60Hz 输出: 12Vdc, 2A;MDS-030AAC07XX(X代表数字 0-9 或英文字母 A-Z 或空白,其电气特性皆相同,只因客户不同,给于不同名称,不影响安全及电磁兼容性)输入: 100-240Vac, 0.6-0.4A, 50-60Hz 输出: 7Vdc, 3A;MDS-030AAC05XX(X代表数字 0-9 或英文字母 A-Z 或空白,其电气特性皆相同,只因客户不同,给于不同名称,不影响安全及电磁兼容性)输入: 100-240Vac, 0.5-0.3A, 50-60Hz 输出: 5Vdc, 3A(产品销售时不带电线组件,仅适用于海拔 5000 米及以下)





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

| CERTIFICATE NO.: 2022010907458355 | | Valid from: Nov.15,2023 |
|---|--|---|
| | | Valid until: Mar.31,2027 |
| NAME AND REGISTERED ADDRESS OF THE APPLICANT | Delta Electronics, Inc. No. 31-1, Xingbang Road, Shanding Village, Guis | han District, Taoyuan City 333613, Taiwan |
| NAME AND REGISTERED ADDRESS OF THE MANUFACTURER | Delta Electronics, Inc. No. 31-1, Xingbang Road, Shanding Village, Guis | han District, Taoyuan City 333613, Taiwan |
| NAME AND LOCATION OF THE FACTORY | Delta Electronics (Dongguan) Co., Ltd. Southwest No.33, Pantao Road, Shijie Town, Dongguan, Gua | |
| PRODUCT MODEL(S) | AC/DC ADAPTER See Appendix(sale without cord set, Altitude up t | to 5000m) |
| STANDARDS AND TECHNICAL REQUIREMENTS | GB 17625.1-2022(Class A);GB 4943.1-2022;GB/T 9 | 9254.1-2021 |

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Apr.01,2022

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn





SIGNATURE: 谢肇煦

CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907458355

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

MDS-030AAC24XX(X = 0-9, A-Z or blank, denoting different clients, no impact safety and EMC) INPUT: 100-240V~ 0.8-0.6A, 50-60Hz OUTPUT: DC 24V, 1.25A MDS-030AAC15XX(X = 0-9, A-Z or blank, denoting different clients, no impact safety and EMC) INPUT: 100-240V~ 0.8-0.6A, 50-60Hz OUTPUT: DC 15V, 2A MDS-030AAC12XX(X = 0-9, A-Z or blank, denoting different clients, no impact safety and EMC) INPUT: 100-240V~ 0.6-0.4A, 50-60Hz OUTPUT: DC 12V, 2A MDS-030AAC07XX(X = 0-9, A-Z or blank, denoting different clients, no impact safety and EMC) INPUT: 100-240V~ 0.6-0.4A, 50-60Hz OUTPUT: DC 12V, 2A MDS-030AAC07XX(X = 0-9, A-Z or blank, denoting different clients, no impact safety and EMC) INPUT: 100-240V~ 0.6-0.4A, 50-60Hz OUTPUT: DC 7V, 3A MDS-030AAC05XX(X = 0-9, A-Z or blank, denoting different clients, no impact safety and EMC) INPUT: 100-240V~ 0.5-0.3A, 50-60Hz OUTPUT: DC 5V, 3A (Excluding cord set for sale, Altitude up to 5000m)

