

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE**CERTIFICAT D'ESSAI OC**

Product
Produit

AC/DC Adapter

Name and address of the applicant
Nom et adresse du demandeur

DELTA ELECTRONICS INC
3 TUNGYUAN RD CHUNGLI INDUSTRIAL ZONE
TAOYUAN COUNTY 32063
TAIWAN

Name and address of the manufacturer
Nom et adresse du fabricant

DELTA ELECTRONICS INC
3 TUNGYUAN ROAD, CHUNGLI INDUSTRIAL ZONE,
TAOYUAN COUNTY 32063
TAIWAN

Name and address of the factory
Nom et adresse de l'usine

DELTA ELECTRONICS (JIANGSU) LTD.
NO. 1688, JIANGXING EAST ROAD,
WUJIANG ECONOMIC DEVELOPMENT ZONE,
WUJIANG CITY, JIANGSU PROVINCE, 215200
CHINA

Note: When more than one factory, please report on page 2
Note: Lorsque il y a plus d'une usine, veuillez utiliser la 2^{ème} page

Additional Information on page 2

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

Input rating: 100-240Vac, 2-1A, 50-60 Hz;

Output rating: 24Vdc, 3.75A

Trademark (if any)
Marque de fabrique (si elle existe)

Delta



Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais
constructeur

WMT

Model / Type Ref.
Ref. De type

MDS-090BAS24 A

Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,,
peuvent être indiqués sur la 2^{ème} page

Additional Information on page 2

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 60601-1(ed.3)

As shown in the Test Report Ref. No. which forms
part of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

E356265-A13-CB-1 issued on 2014-02-12

This CB Test Certificate is issued by the National Certification Body

Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2014-02-12

Signature:

Jan-Erik Storgaard

For full legal entity names see www.ul.com/ncbnames



Ref. Certif. No.

DK-37059-UL

Additional Information:

Additionally evaluated to EN 60601-1:2006;
National Differences specified in the CB Test Report.

Risk management was not included in this investigation.

Additional information (if necessary)

Information complémentaire (si nécessaire)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2014-02-12

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-131932-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

AC/DC ADAPTER

Name and address of the applicant

DELTA ELECTRONICS INC
3 Tungyuan Road
Chungli Industrial Zone Taoyuan City 32063
Taiwan

Name and address of the manufacturer

DELTA ELECTRONICS INC
3 Tungyuan Road
Chungli Industrial Zone Taoyuan City 32063
Taiwan

Name and address of the factory

Delta Electronics (Thailand) Public Co., Ltd.
909 Soi 9 Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road,
Tambol Phraksa, Amphur Muang, Samutprakarn 10280,
Thailand

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Additional Information on page 2
I/P: 100 - 240 Vac, 50 - 60 Hz, 2 - 1 A.
 Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 2

Model / Type Ref.

MDS-090BAS28 A, MDS-090BAS24 A

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to: EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020
National Differences specified in the CB Test Report.

A sample of the product was tested and found to be in conformity with

Additional Information on page 2
IEC 62368-1:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

E131881-A6833-CB-1 issued on 2022-09-06

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-09-07

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-131932-UL

Factory(ies):

Delta Electronics (Dongguan) Co., Ltd.
No. 33 Pantao Road Shijie Town Dongguan Guangdong 523308
China

Delta Electronics (Jiangsu) Ltd.
215200, No.1688, Jiangxing East Road, Wujiang Economic and Technological Development Zone, Suzhou City, Jiangsu
Province,
China

DELTA ELECTRONICS (WUHU) LTD.
No. 138, Jiuhua North Road, LongShan Street, Economic technical Development Area Wuhu City, Anhui Province,
China

Delta Electronics (Thailand) Public Company Limited
111/6 Moo 9, Wellgrow Industrial Estate, Bangna-Trad Road, Tambol Bangwua, Amphur Bangpakong, Chachoengsao 24180,
Thailand

Delta Electronics (Dongguan) Co., Ltd Southwest Branch
No. 33 Pantao Road Shijie Town Dongguan Guangdong 523308
China

Delta Electronics India Private Limited-SEZ Unit
Delta SEZ Notified at SY No. 16/1B2B Part & 16/1B2A Part Plot No.1, Industrial Park, Kurubarapalli Village Krishnagiri Dist,
Tamil Nadu, 635115,
India

Additional Ratings:

For Model MDS-090BAS24 A
O/P: 24Vdc, 3.75 A

For Model MDS-090BAS28 A
O/P: 28Vdc, 3.21 A

Additional information (if necessary)



- UL Solutions (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-09-07

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE**CERTIFICAT D'ESSAI OC**

Product
Produit

AC/DC ADAPTER

Name and address of the applicant
Nom et adresse du demandeur

DELTA ELECTRONICS INC
3 TUNGYUAN RD
CHUNGLI INDUSTRIAL ZONE
TAOYUAN COUNTY, 32063 TW

Name and address of the manufacturer
Nom et adresse du fabricant

DELTA ELECTRONICS INC
3 TUNGYUAN RD
CHUNGLI INDUSTRIAL ZONE
TAOYUAN COUNTY, 32063 TW

Name and address of the factory
Nom et adresse de l'usine

DELTA ELECTRONICS (JIANGSU) LTD.
NO 1688 JIANGXING EAST RD
WUJIANG ECONOMIC DEVELOPMENT ZONE
WUJIANG CITY, 215200 JIANGSU PROVINCE China

Note: *When more than one factory, please report on page 2*
Note: *Lorsque il y a plus d'une usine, veuillez utiliser la 2^{ème} page*

Additional Information on page 2
I/P: 100 - 240 Vac, 50 - 60 Hz, 2 - 1 A.
O/P: 24Vdc, 3.75 A

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

DELTA ELECTRONICS INC
TMP

Trademark (if any)
Marque de fabrique (si elle existe)
Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

Model / Type Ref.
Ref. De type

MDS-090BAS24 A

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire,, peuvent être indiqués sur la 2^{ème} page

Additionally evaluated to EN 60950-1:2006 / A11:2009/ A1: 2010 / A12:2011 / A2:2013; National Differences specified in the CB Test Report.

A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

Additional Information on page 2
IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1, IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat

OFF-4786257099-BA9-1 issued on 2014-01-22

This CB Test Certificate is issued by the National Certification Body

Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2014-01-23

Signature:

Jan-Erik Storgaard

For full legal entity names see www.ul.com/ncbnames

Factories:

DELTA ELECTRONICS POWER (DONGGUAN) CO LTD
DELTA INDUSTRIAL ESTATE
SHIJIE TOWN
DONGGUAN, 523308 GUANGDONG China

Additional information (if necessary)

Information complémentaire (si nécessaire)



UL (US), 333 Pflugsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2014-01-23

Signature:

Jan-Erik Storgaard