

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

**CB TEST CERTIFICATE****CERTIFICAT D'ESSAI OC**

Product  
Produit

SWITCHING POWER SUPPLY

Name and address of the applicant  
Nom et adresse du demandeur

DELTA ELECTRONICS INC  
3 TUNGYUAN RD CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY 32063  
TAIWAN

Name and address of the manufacturer  
Nom et adresse du fabricant

DELTA ELECTRONICS, INC.  
3 TUNGYUAN ROAD, CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY 32063  
TAIWAN, R.O.C.

Name and address of the factory  
Nom et adresse de l'usine

DELTA ELECTRONICS (THAILAND) PUBLIC CO., LTD  
909 SOI 9 MOO 4, BANGPOO INDUSTRIAL ESTATE (E.P.Z.),  
PATTANA 1 RD., TAMBOL PHRAKSA, AMPHUR MUANG,  
SAMUTPRAKARN 10280  
THAILAND

Note: When more than one factory, please report on page 2  
Note: Lorsque il y a plus d'une usine, veuillez utiliser la 2<sup>ème</sup> page

Additional Information on page 2  
See Page 2

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

DELTA ELECTRONICS INC.

Trademark (if any)  
Marque de fabrique (si elle existe)



Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais  
constructeur

Model / Type Ref.  
Ref. De type

MDS-100BPS24 B, MDS-100BPS18 B,  
MDS-100BPS15 B, MDS-100BPS12 B

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,,  
peuvent être indiqués sur la 2<sup>ème</sup> page

Additionally evaluated to EN 60601-1:2006/ A1:2013/ A12:2014;  
National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60601-1(ed.3), IEC 60601-1(ed.3);am1

As shown in the Test Report Ref. No. which forms  
part of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

E356265-D1010-1-CB issued on 2015-09-24

This CB Test Certificate is issued by the National Certification Body

Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2015-10-01

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-48842-UL**

**Factories:**

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD.  
DELTA INDUSTRIAL ESTATE, SHIJIE TOWN, DONGGUAN CITY, GUANGDONG PROVINCE 523308  
CHINA

DELTA ELECTRONICS (JIANGSU) LTD  
NO. 1688, JIANGXING EAST ROAD, WUJIANG ECONOMIC DEVELOPMENT ZONE, WUJIANG CITY, JIANGSU  
PROVINCE, 215200  
CHINA

**Ratings:**

**Input rating:**

100 - 240V ac, 2.5-1.25 A, 50-60 Hz

**Output rating:**

For MDS-100BPS24 B: 24Vdc, 4.17A;

For MDS-100BPS18 B: 18Vdc, 5.56A;

For MDS-100BPS15 B: 15Vdc, 6.67A;

For MDS-100BPS12 B: 12Vdc, 8.33A.

See test report for details.

**Additional information (if necessary)**

**Information complémentaire (si nécessaire)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2015-10-01

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product	SWITCHING POWER SUPPLY
Name and address of the applicant	Delta Electronics, Inc. 3 Tungyuan Road, Chungli Industrial Zone, Taoyuan County 32063, Taiwan
Name and address of the manufacturer	Delta Electronics, Inc. 3 Tungyuan Road, Chungli Industrial Zone, Taoyuan County 32063, Taiwan
Name and address of the factory	Delta Electronics (Thailand) Public Co., Ltd. 909 Soi 9 Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Rd., Tambol Phraksa, Amphur Muang, Samutprakarn 10280, THAILAND <input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics <small>Note: When more than one factory, please report on page 2</small>	See Page 2
Trademark (if any)	DELTA ELECTRONICS, INC.
Type of Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, MDS-100BPS18 B, MDS-100BPS15 B, MDS-100BPS12 B, PJT-24V100WBBXY, PJT-18V100WBBXY, PJT-15V100WBBXY, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank)
Additional information (if necessary may also be reported on page 2)	Additionally evaluated to EN 62368-1:2014/A11:2017. National Differences specified in the CB Test Report. <input type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E131881-4789104700-1 Original issued on 2019-07-30

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2019-07-31

Signature:

  
Jan-Erik Storgaard

## Factories:

Delta Electronics Power (Dongguan) Co., Ltd.  
Delta Industrial Estate, Shijie Town, Dongguan City, Guangdong Province 523308  
China

Delta Electronics (Jiangsu) Ltd.  
No. 1688, Jiangxing East Road, Wujiang Economic and Technological Development Zone, Suzhou City Jiangsu  
Province 215200  
China

## Ratings:

Input: 100-240V~, 2.5-1.25A, 50-60Hz (For Models MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, MDS-100BPS18 B, MDS-100BPS15 B, MDS-100BPS12 B);

Input: 100-240V~, 2.5A, 50-60Hz (For Models PJT-24V100WBBXY, PJT-18V100WBBXY, PJT-15V100WBBXY, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank))

## Output:

24Vdc, 4.17A (for models MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, PJT-24V100WBBXY (X, Y=0-9, A-Z or Blank))

18Vdc, 5.56A (for model MDS-100BPS18 B)

15Vdc, 6.67A (for model MDS-100BPS15 B, PJT-15V100WBBXY (X, Y=0-9, A-Z or Blank))

12Vdc, 8.33A (for model MDS-100BPS12 B, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank))

18Vdc, 5.55A (for model PJT-18V100WBBXY (X, Y=0-9, A-Z or Blank))

## Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/names](http://www.ul.com/names)

Date: 2019-07-31

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-131218-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product	SWITCHING POWER SUPPLY
Name and address of the applicant	DELTA ELECTRONICS INC 3 TUNGYUAN ROAD CHUNGLI INDUSTRIAL ZONE TAOYUAN CITY 32063 TAIWAN
Name and address of the manufacturer	DELTA ELECTRONICS INC 3 TUNGYUAN ROAD CHUNGLI INDUSTRIAL ZONE TAOYUAN CITY 32063 TAIWAN
Name and address of the factory	Delta Electronics (Thailand) Public Co., Ltd. 909 Soi 9 Moo 4, Bangpoo Industrial Estate (E.P.Z.), Pattana 1 Road, Tambol Phraksa, Amphur Muang, Samutprakarn 10280, Thailand <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	Input: 100-240V~, 2.5-1.25A, 50-60Hz <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Trademark (if any)	DELTA ELECTRONICS, INC.
Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Additional information (if necessary may also be reported on page 2)	<b>Additionally evaluated to:</b> EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020 National Difference specified in the CB Test Report <input type="checkbox"/> <a href="#">Additional Information on page 2</a>
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2018
As shown in the Test Report Ref. No. which forms part of this Certificate	E131881-A6819-CB-1 issued on 2022-08-19

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2022-08-19

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-131218-UL**

**Factory(ies):**

Delta Electronics (Dongguan) Co., Ltd.  
No. 33 Pantao Road Shijie Town Dongguan Guangdong 523308  
China

Delta Electronics (Jiangsu) Ltd.  
215200, No.1688, Jiangxing East Road, Wujiang Economic and Technological Development Zone, Suzhou City, Jiangsu  
Province, P. R. China

DELTA ELECTRONICS (WUHU) LTD.  
No. 138, Jiu Hua North Road, LongShan Street, Economic technical Development Area Wuhu City, Anhui Province,  
P. R. China

Delta Electronics (Thailand) Public Company Limited  
111/6 Moo 9, Wellgrow Industrial Estate, Bangna-Trad Road, Tambol Bangwua, Amphur Bangpakong, Chachoengsao 24180,  
Thailand

Delta Electronics (Dongguan) Co., Ltd Southwest Branch  
No. 33 Pantao Road Shijie Town Dongguan Guangdong 523308 China

Delta Electronics India Private Limited-SEZ Unit  
Delta SEZ Notified at SY No. 16/1B2B Part & 16/1B2A Part Plot No.1, Industrial Park, Kurubarapalli Village Krishnagiri Dist,  
Tamil Nadu, 635115, INDIA

**Additional Model Detail(s):**

MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, MDS-100BPS18 B, MDS-100BPS15 B, MDS-100BPS12 B,  
PJT-24V100WBBXY, PJT-18V100WBBXY, PJT-15V100WBBXY, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank)

**Additional Ratings:**

Input: 100-240V~, 2.5-1.25A, 50-60Hz (For Models MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, MDS-100BPS18 B,  
MDS-100BPS15 B, MDS-100BPS12 B);

Input: 100-240V~, 2.5A, 50-60Hz (For Models PJT-24V100WBBXY, PJT-18V100WBBXY, PJT-15V100WBBXY, PJT-  
12V100WBBXY (X, Y=0-9, A-Z or Blank))

Output:  
24Vdc, 4.17A (for models MDS-100BPS24 B, MDS-100BPS24 A, MDS-100BPS24 C, PJT-24V100WBBXY (X, Y=0-9, A-Z or Blank))  
18Vdc, 5.56A (for model MDS-100BPS18 B)  
15Vdc, 6.67A (for model MDS-100BPS15 B, PJT-15V100WBBXY (X, Y=0-9, A-Z or Blank))  
12Vdc, 8.33A (for model MDS-100BPS12 B, PJT-12V100WBBXY (X, Y=0-9, A-Z or Blank))  
18Vdc, 5.55A (for model PJT-18V100WBBXY (X, Y=0-9, A-Z or Blank))

**Additional information (if necessary)**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2022-08-19

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

**CB TEST CERTIFICATE****CERTIFICAT D'ESSAI OC**

Product  
Produit

SWITCHING POWER SUPPLY

Name and address of the applicant  
Nom et adresse du demandeur

DELTA ELECTRONICS INC  
3 TUNGYUAN RD  
CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY, 32063 Taiwan

Name and address of the manufacturer  
Nom et adresse du fabricant

DELTA ELECTRONICS INC  
3 TUNGYUAN RD  
CHUNGLI INDUSTRIAL ZONE  
TAOYUAN COUNTY, 32063 Taiwan

Name and address of the factory  
Nom et adresse de l'usine

DELTA ELECTRONICS POWER (DONGGUAN) CO., LTD.  
DELTA INDUSTRIAL ESTATE, SHIJIE TOWN, DONGGUAN  
CITY, GUANGDONG PROVINCE 523308  
CHINA

Note: *When more than one factory, please report on page 2*  
Note: *Lorsque il y a plus d'une usine, veuillez utiliser la 2<sup>ème</sup> page*

Additional Information on page 2  
See Page 2

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

DELTA ELECTRONICS, INC.

Trademark (if any)  
Marque de fabrique (si elle existe)  
Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais  
constructeur

TMP

Model / Type Ref.  
Ref. De type

MDS-100BPS12 B, MDS-100BPS15 B, MDS-100BPS18 B,  
MDS-100BPS24 B  
See Page 2

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,,  
peuvent être indiqués sur la 2<sup>ème</sup> page

Additional Information on page 2

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms  
part of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

OFF-4786085592-BA5-1 issued on 2013-11-06

This CB Test Certificate is issued by the National Certification Body

Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2013-11-06

Signature:



Jan-Erik Storgaard

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

## Factories:

DELTA ELECTRONICS (JIANGSU) LTD.  
NO. 1688, JIANGXING EAST ROAD, WUJIANG ECONOMIC DEVELOPMENT ZONE, WUJIANG CITY, JIANGSU  
PROVINCE, 215200  
CHINA

## Ratings:

Input: 100-240V~, 2.5-1.25A, 50-60Hz

## Output:

24Vdc, 4.17A (for model MDS-100BPS24 B)  
18Vdc, 5.56A (for model MDS-100BPS18 B)  
15Vdc, 6.67A (for model MDS-100BPS15 B)  
12Vdc, 8.33A (for model MDS-100BPS12 B)

## Additional Information:

Additionally evaluated to EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013.  
National Differences specified in the CB Test Report.

**Additional information (if necessary)****Information complémentaire (si nécessaire)**

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2013-11-06

Signature:



Jan-Erik Storgaard